

PESTICIDE INFORMATION SHEET

GROWER ORGIN
CROP
MARKET DESTINATION
EFFECTIVE DATE

CANADA
RASPBERRY
CANADA/USA
Feb 15 -2025

| APPROVED FOR USE TRADE NAME TYPE PHI COMMENTS | | | | | |
|--|------------------------|--|---|--|--|
| Acramite | Insecticide | 1 Day | Contact Berryhill prior to use if sprayer is used for blueberries or blueberries are present in field . | | |
| Actara | Insecticide | 3 Days | Post Bloom Only. Crop Renovation Required After Harvest (Canada Only) | | |
| Admire | Insecticide | 4 Days | Post Bloom Only. Crop Renovation Required After Harvest (Canada Only) USA growers follow 4 day PHI. | | |
| | Insecticide | 7 Days | | | |
| Agri-mek | | 4 Days | Contact Berryhill prior to use if sprayer is used for blueberries or blueberries are present in field . | | |
| Alias | Insecticide | İ | Post Bloom Only. Crop Renovation Required After Harvest (Canada Only) | | |
| Altacor Max | Insecticide | 3 Days | | | |
| Assail | Insecticide | 1 Day | | | |
| Bioprotect | Insecticide | 0 Days | | | |
| Closer | Insecticide | 1 Day | | | |
| Danitol | Insecticide | 3 Days | | | |
| Delegate | Insecticide | 1 Day | | | |
| Dipel | Insecticide | 0 Days | | | |
| Entrust | Insecticide | 3 Days (1 day SWD) | 1 day PHI for SWD. 3 day PHI for non-SWD pests CAN only. | | |
| Exirel | Insecticide | 1 Day | | | |
| Foray | Insecticide | 0 Days | | | |
| Harvanta | Insecticide | 1 Day | | | |
| Intrepid | Insecticide | 3 Days | | | |
| Kanemite | Insecticide | 1 Day | | | |
| Malathion | Insecticide | 1 Day | | | |
| Pyganic | Insecticide | 0 Days | | | |
| Ripcord | Insecticide | 2 Days | | | |
| Sevin | Insecticide | 11 Days | USA growers follow 11 day PHI. | | |
| Sivanto Prime | Insecticide | 0 Days | | | |
| Success | Insecticide | 1 Day | | | |
| UP-Cyde | Insecticide | 2 Days | | | |
| Aim | Herbicide | 30 Days | USA Growers use follow 30 day PHI. | | |
| Alion | Herbicide | Early Spring | Use in early spring only. | | |
| Authority | Herbicide | Early Spring | Use in early spring only. | | |
| AXXE | Herbicide | 0 Days | ose in early spring only. | | |
| | | Late Winter/Fall | | | |
| Casoron | Herbicide | 7 Days | | | |
| Chateau | Herbicide | Spring/Fall Use | | | |
| Devrinol | Herbicide | | | | |
| Devrinol 50DF Eragon | Herbicide Herbicide | Spring/Fall Use Dormancy application only | | | |
| Goal | Herbicide | 50 Days | Contact Berryhill prior to use if sprayer is used for blueberries or blueberries are present in field. | | |
| Ignite | Herbicide | Shoot Burn | contact perfyriii profeto dae it sprayer is daed for blacberries of blacberries are present in teat. | | |
| | | 45 Days | | | |
| Poast (Ultra) | Herbicide | | | | |
| Princep | Herbicide | Fall/Spring Use | | | |
| Prism | Herbicide | 21 Days | | | |
| Sandea | Herbicide | 14 Days | | | |
| Serene | Herbicide | 0 Days | | | |
| Simadex | Herbicide | Early Spring | | | |
| Simazine | Herbicide | Early Spring Use | | | |
| Sinbar | Herbicide | 70 Days | | | |
| Aliette | Fungicide | 60 Days | | | |
| Bumper | Fungicide | 30 Days | | | |
| Cantus | Fungicide | 0 Days | | | |
| Captan | Fungicide | 2 Days | | | |
| Copper Spray | Fungicide | 2 Days | | | |
| Cueva | Fungicide | 1 Day | | | |
| Diplomat | Fungicide | 0 Days | | | |
| Elevate | Fungicide | 1 Day | USA growers follow 1 day PHI. | | |
| Fitness | Fungicide | 30 Days | | | |
| Fontelis | Fungicide | 0 Days | | | |
| Isofetamid | Fungicide | 7 Days | | | |
| Jade | Fungicide | 30 Days | | | |
| Kenja | Fungicide | 7 Days | | | |
| Lime Sulphur | Fungicide | Apply During Dormancy | | | |
| •••••••••••• | | | | | |

| Luna Privilege | Fungicide | 0 Days | |
|-------------------|-------------|---------------------------|---|
| Luna Tranquility | Fungicide | 0 Days | |
| Maestro | Fungicide | 2 Days | |
| Miravis | Fungicide | 1 day | Contact Berryhill prior to use if sprayer is used for blueberries or blueberries are present in field. |
| Mission | Fungicide | 30 Days | |
| Nova | Fungicide | 1 Day | Contact Berryhill prior to use if sprayer is used for blueberries or blueberries are present in field. |
| Orondis | Fungicide | 80 Days | Spray before Nov 30 at the latest |
| Orondis Gold | Fungicide | 80 Days | Contact Berryhill prior to use if sprayer is used for blueberries or blueberries are present in field. |
| Phostrol | Fungicide | 0 Days | , |
| Pristine | Fungicide | 0 Days | |
| Pyriofenone | Fungicide | 0 Days | |
| Ridomil Gold | Fungicide | November 30 at the latest | USA growers follow Nov.30 at the latest PHI. |
| Rovral | Fungicide | 1 Day | USA growers follow 1 day PHI.Contact Berryhill prior to use if sprayer is used for blueberries or blueberries are present in field. |
| Scala | Fungicide | 0 Days | Do not apply after blossom. |
| Sercadis | Fungicide | 0 Days | |
| Serenade Opti | Fungicide | 0 Days | |
| Serifel | Fungicide | 0 Days | |
| Switch | Fungicide | 1 Day | USA growers follow 1 day PHI. |
| Taegro 2 | Fungicide | 0 Days | <u> </u> |
| Tanos | Fungicide | Do not use after May 15th | Do Not Use After May 15th. Contact Berryhill prior to use if sprayer is used for blueberries or blueberries are present in field. |
| Tilt | Fungicide | 30 Days | |
| Timorex Gold | Fungicide | 2 Days | |
| Topas | Fungicide | 30 Days | |
| Torrent | Fungicide | Fall Only | Apply in Fall |
| Velum Prime | Fungicide | 0 Days | |
| Ground Force | Rodenticide | 0 Days | Rodent Control. |
| Ramik Green | Rodenticide | 0 Days | Rodent Control. |
| | | | NOT APPROVED |
| Apollo | Do Not Use | 15 Days | |
| Diazinon | Do Not Use | Spring Only | |
| Ferbam | Do Not Use | Fall Only | |
| Kasumin 2L | Do Not Use | 1 Day | |
| Movento | Do Not Use | 3 Days | |
| Nexter | Do Not Use | Post Harvest Only | |
| Oberon | Do Not Use | 3 Days | |
| Pyramite (Nexter) | Do Not Use | Post Harvest Only | |
| Senator | Do Not Use | 1 Day | |
| Venture | Herbicide | Do Not Use After May 5th | Apply to Base of Canes Only |
| | Do Not Use | Fall Only Before Oct. 31 | Apply to base of Calles Only |
| Vydate L | Do Not Use | : | oducts Registered In USA: Not Likely To Exceed Canada/USA MRL |

Products Registered In USA: Not Likely To Exceed Canada/USA MRL

Use According To Label Instructions And Follow Any Additional Comments
No Substitutions

In the second of