



PESTICIDE INFORMATION SHEET

2025

GROWER ORIGIN	USA
CROP	RASPBERRY
MARKET DESTINATION	CANADA/USA
EFFECTIVE DATE	Feb 15 -2025

APPROVED FOR USE			
TRADE NAME	TYPE	PHI	COMMENTS
Acramite	Insecticide	1 Day	Contact Berryhill prior to use if sprayer is used for blueberries or blueberries are present in field .
Actara	Insecticide	3 Days	Post Bloom Only. Crop Renovation Required After Harvest (Canada Only)
Admire	Insecticide	4 Days	Post Bloom Only. Crop Renovation Required After Harvest (Canada Only) USA growers follow 4 day PHI.
Advise	Insecticide	4 Days	USA growers follow 4 day PHI.
Agri-mek	Insecticide	7 Days	Contact Berryhill prior to use if sprayer is used for blueberries or blueberries are present in field .
Altacor	Insecticide	3 Days	
Assail	Insecticide	1 Day	
Brigade	Insecticide	3 Days	
Danitol	Insecticide	3 Days	
Delegate	Insecticide	1 Day	
Dipel	Insecticide	0 Days	
Discipline	Insecticide	3 Days	
Entrust	Insecticide	1 Day	1 day PHI for SWD. 3 day PHI for non-SWD pests CAN only.
Exirel	Insecticide	1 Day	
Intrepid	Insecticide	3 Days	
Kanemite	Insecticide	1 Day	
Malathion	Insecticide	1 Day	
M-Pede	Insecticide	0 Days	
Mustang	Insecticide	2 Days	USA growers follow 2 day PHI.
Mycotrol	Insecticide	0 Days	
Provado	Insecticide	4 Days	USA growers follow 4 day PHI.
Pyganic	Insecticide	0 Days	
Safer	Insecticide	0 Days	
Sevin	Insecticide	11 Days	USA growers follow 11 day PHI.
Sivanto Prime	Insecticide	0 Days	
Sluggo	Insecticide	0 Days	Slug Bait.
Sniper (USA)	Insecticide	3 Days	
Success	Insecticide	1 Day	
Transform	Insecticide	1 day	
Tundra EC	Insecticide	3 Days	
Aim	Herbicide	30 Days	USA Growers use follow 30 day PHI.
Alion	Herbicide	Early Spring	Use in early spring only.
Arrow	Herbicide	7 Days	
Basagran	Herbicide	365 (non-bearing)	*Non Bearing only. Contact Berryhill prior to use if sprayer is used for blueberries or blueberries are present in field.
Callisto	Herbicide	Early Spring	Use in early spring only.
Casoron	Herbicide	Late Winter/Fall	
Chateau	Herbicide	7 Days	
Devrinol	Herbicide	Spring/Fall Use	
Devrinol 50DF	Herbicide	Spring/Fall Use	
Dual II Magnum	Herbicide	28 Days	
Goal	Herbicide	50 Days	Contact Berryhill prior to use if sprayer is used for blueberries or blueberries are present in field.
Gramoxon	Herbicide	Shoot Burn Only	Apply in Early Spring or Fall
Karmex	Herbicide	Late Spring or Fall	
Matrix	Herbicide	21 Days	
Parrot	Herbicide	Fall/Winter Only	
Poast (Ultra)	Herbicide	45 Days	CAN growers follow 45 day PHI.
Princep	Herbicide	Fall/Spring Use	
Sandea	Herbicide	14 Days	
Scythe	Herbicide	1 Day	
Select	Herbicide	7 Days	
Select Max	Herbicide	7 Days	
Simazine	Herbicide	Early Spring Use	
Sinbar	Herbicide	70 Days	
Solicam	Herbicide	60 Days	
Surflan	Herbicide	Spring/Fall Use	
Vinegar	Herbicide	0 Days	

Zeal	Herbicide	Do not use after May 5th	
Abound	Fungicide	0 Days	
Aliette	Fungicide	60 Days	
Badge	Fungicide	Follow label instructions	
Bumper	Fungicide	30 days	
Cabrio	Fungicide	0 Days	
Captan	Fungicide	3 Days	
Captevate	Fungicide	3 Days	
Captiva	Fungicide	2 Days	USA growers follow 2 day PHI.
Copper Spray	Fungicide	2 Days	
Elevate	Fungicide	1 Days	USA growers follow 1 day PHI.
Fontelis	Fungicide	0 Days	
Fosphite	Fungicide	0 Days	
Kaligreen	Fungicide	1 Day	
Kenja	Fungicide	7 Days	
Lime Sulphur	Fungicide	Apply During Dormancy	
Luna Tranquility	Fungicide	0 Days	
Milstop	Fungicide	1 Day	
Orondis	Fungicide	80 Days	Spray before Nov 30 at the latest
Orondis Gold	Fungicide	80 Day	Contact Berryhill prior to use if sprayer is used for blueberries or blueberries are present in field.
PH-D	Fungicide	0 Days	
Phostrol	Fungicide	None Listed	
Pristine	Fungicide	0 Days	
Pyriofenone	Fungicide	0 Days	
Rally	Fungicide	1 Day	USA growers follow 1 day PHI.Contact Berryhill prior to use if sprayer is used for blueberries or blueberries are present in field.
Ridomil Gold	Fungicide	November 30 at the latest	USA growers follow Nov.30 at the latest PHI.
Rovral	Fungicide	1 Day	USA growers follow 1 day PHI.Contact Berryhill prior to use if sprayer is used for blueberries or blueberries are present in field.
Serenade Opti	Fungicide	0 Days	
Switch	Fungicide	1 Day	USA growers follow 1 day PHI.
Taegro 2	Fungicide	0 Days	
Tanos	Fungicide	Do not use after May 15th	Do not use after May 15th. Contact Berryhill prior to use if sprayer is used for blueberries or blueberries are present in field.
Thiolux	Fungicide	0 Days	
Tilt	Fungicide	30 Days	
Timorex Gold	Fungicide	2 Days	
NOT APPROVED			
Asana	Do Not Use	7 Days	
Confirm	Do Not Use	14 Days	
Cornerstone Plus	Do Not Use	14 Days	
Credit	Do Not Use	14 Days	
Diazinon	Do Not Use	7 Days	
Esteem	Do Not Use	7 Days	
Fusilade	Do Not Use	1 Day	
Knack	Do Not Use	7 Days	
Roundup	Do Not Use	14 Days	
Savey	Do Not Use	3 Days	
Touchdown	Do Not Use	14 Days	
Trellis	Do Not Use	60 Days	
Vendex	Do Not Use	3 Days	
Products Registered In USA: Not Likely To Exceed Canada/USA MRL			
Use According To Label Instructions And Follow Any Additional Comments			
No Substitutions			
Disclaimer: The information provided in this list is for general information only, and is not intended as a substitute for the actual product label. The list is believed to be accurate as of the date of this document; however labels are subject to change. With regards to PHI, 1 day is equal to 24 hours and so hours after application and not calendar days is to be considered. Although due care and skill has been exercised in the preparation and compilation of the information and data in this list, Berryhill Foods Inc. does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, Berryhill Foods Inc. disclaims all liability, including liability for any negligence, loss, damage, injury or cost of expense incurred by any person as a result of accessing, using or relying upon any of the information or data set out in this document.			